



08/883075

Cafe

Docket No.: MTI 3.0-025
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Govil et al.

Patent No.: 7,150,881

Issued: December 19, 2006

For: ADHESIVE MIXTURE FOR TRANSDERMAL
DELIVERY OF HIGHLY PLASTICIZING DRUGS

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
AUG 13 2007
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.323

Dear Sir:

Enclosed herewith is a Certificate of Correction with respect to the above-identified U.S. Patent. You are hereby authorized to charge Deposit Account No. 12-1095 in the amount of \$100 to cover the required fee for filing a Certificate of Correction under § 1.323.

These errors were inadvertent, occurred in good faith and do not involve any changes which constitute new matter.

We look forward to early return of the Certificate of Correction duly certified.

Dated: August 6, 2007

Respectfully submitted,

By 

Arnold H. Krumholz
Registration No.: 25,428
LERNER, DAVID, LITTENBERG,
KRUMHOLZ & MENTLIK, LLP
600 South Avenue West
Westfield, New Jersey 07090
(908) 654-5000

Attorney for Applicant

AUG 13 2007

08/10/2007 55711 00000002 121095 7150881
01 FC:1811 100.00 DA

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 2

PATENT NO. : 7,150,881
APPLICATION NO. : 08/883,075
ISSUE DATE : December 19, 2006
INVENTOR(S) : Sharad K. Govil and Ludwig J. Weimann

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the face of the patent, (57) ABSTRACT, line 3, "the" should read --they--.
Column 2, line 42, after "these" delete " ".
Column 2, line 61, "wide spread" should read --widespread--.
Column 2, line 64, after 40% insert --,--.
Column 2, line 64, "the" should read --The--.
Column 4, line 36, delete "a".
Column 6, line 30, "it's" should read --its--.
Column 6, line 58, "application" should read --applications--.
Column 10, line 32, after "acrylate" insert --,--.
Column 11, line 28, after "87-2852" insert --,--.
Column 11, line 41, "functional" should read --Functional--
Column 11, line 47, after "melamines" insert --,--.
Column 12, line 49, delete "is" and insert therefor --are--.
Column 18, line 45, delete " ".
Column 18, line 46, after "2" insert --,--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):
Arnold H. Krumholz
LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK, LLP
600 South Avenue West
Westfield, New Jersey 07090

1

AUG 13 2007

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 2 of 2

PATENT NO. : 7,150,881
APPLICATION NO. : 08/883,075
ISSUE DATE : December 19, 2006
INVENTOR(S) : Sharad K. Govil and Ludwig J. Weimann

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 19, line 24, "tends" should read --tend--.
Column 19, line 61, delete "to a"
Column 19, line 62, delete "thickness of".
Column 20, line 36, after "selegiline" delete " ".
Column 21, line 33, "delete "is" and insert therefor --to be--.
Column 22, line 6, delete "was" and insert therefor --were--.
Column 22, line 21, delete "an" and insert therefor --a--.
Column 22, line 41, delete "were" and insert therefor --was--.
Column 22, line 61, "the" should read --The--.
Column 23, line 1, delete "linear" and insert therefor --liner--.
Column 23, line 9, "the" should read --The--.
Column 24, line 35, delete "oven" and insert therefor --over--.
Column 24, line 46, "an" should read --and--.
Column 25, line 24, "temperatures" should read --temperature--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):
Arnold H. Krumholz
LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK, LLP
600 South Avenue West
Westfield, New Jersey 07090

2

AUG 13 2007